


31.5" P-cap Touch Monitor



Model	H3214P-UH
Touch Technology	P-cap
Version	V 1.0



Product Name		31.5 inch LCD Touch Monitor	
Product Model		H3214P-UH	
LCD panel	Size	31.5 inch	
Technical Parameter	Aspect Ratio	16 : 9	
	Backlight Type	LED Backlight	
	Pixel Pitch	0.3637mm x 0.3637mm	
	Active Area	698.40mm x 392.85mm	
	Best Resolution	1920 × 1080 @ 60 Hz	
	Response Time	8 ms	
	Color	16.7 million	
	Brightness	LCD Panel: 300 cd/m ²	
	Contrast Ratio	1200:1 (standard Values)	
	Viewing Angle (CR > 10)	Horizontal: 178° (89°/89°) Vertical: 178° (89°/89°)	
	Video Input Format	RGB Analog Signal/ Digital Signal	
	Video Input Interface	VGA / HDMI	
	Input Frequency	Horizontal: 30~82 Hz Vertical: 50~75 Hz	
	Power Consumption	≤35W	
	Warranty	1 Year	
Touch Screen	Touch Screen Type	Capacitive Touch Screen	
Technical Parameter	Cover Glass	Tempered Glass 3mm	
	Transparency	87%	
	Hardness	7H	
	Interface	USB2.0	
	Touch Point	10	
	Response Time	≤15 ms	
	Touch Method	Finger / Capacitive Pen	
	Touch Lifespan	≥50,000,000	
	Linearity	< 2%	
	Single-point OS	Windows XP , Linux	
	Multi-point OS	Windows7/8/10/11, Android	
	Warranty	1 Year	
Touch Monitor	Boundary Dimension	750.1mm x 444.7mm x 49.0mm	
Technical Parameter	OSD Panel	Optional Accessory : Power switch、 Menu、 Up、 Auto、 Down	
	Power Supply	Input : DC 12V±5%	
	Power Consumption	Max : 50w; Sleep : 3w; Off : 2w	
	Installation	VESA 200mm	
	Accessory	Signal Line	VGA, HDMI, D-SUB 15 pin, male to male, 1.5m
	(Optional)	USB Wire	A male to B male , 1.8m
		Power Line	CCC Power Line, 1.5m , Black
	Temperature	Operating: 0°C-40°C ; Storage: -20°C-60°C	
	Humidity	Operating: 20%-80%; Storage: 10%-90%	
	Operation Altitude	< 3000m	
	Warranty	1year	



4-M6(DP MAX 8MM)

